



TOSHIBA Satellite L500-1PU

Processor	Type: Intel® Pentium® Processor T4300
	clock speed : 2.10 GHz
	Front Side Bus : 800 MHz
	2nd level cache : 1 MB
Operating system	No Operating System pre-installed
System memory	standard : 2,048 MB
	maximum expandability : 4,096 MB
	technology : DDR3 RAM (1,066 MHz)
Hard disk	capacity : 320 GB
	drive rotation : 5,400 rpm
DVD Super Multi drive (Double Layer)	compatibility : CD-ROM, CD-R, CD-RW, DVD-ROM, DVD-R, DVD-R(DL), DVD-RW, DVD+R, DVD+R(DL), DVD+RW, DVD-RAM
	maximum speed : Read: 24x CD-ROM, 8x DVD-ROM/ Write: 24x CD-R, 4x CD-RW, 10x HS CD-RW, 24x US CD-RW, 8x DVD-R, 6x DVD-R (Double Layer), 6x DVD-RW, 8x DVD+R, 6x DVD+R (Double Layer), 8x DVD+RW, 5x DVD-RAM
	type : DVD Super Multi (Double Layer) drive
Display	size : 15.6 "
	type : Toshiba TruBrite® HD TFT High Brightness display with 16 : 9 aspect ratio
	internal resolution : 1,366 x 768
Graphics adapter	manufacturer : Intel®
	type : Mobile Intel® GMA 4500M
	memory amount : total available graphics memory can be up to 1,340 MB with a 32-bit operating system and 3 GB system memory or 1,759 MB with a 64-bit operating system and 4 GB system memory
	memory type : shared
Internal video modes	The following internal video modes are supported: resolution : 1,366 x 768
Max. external video modes	max. resolution : 2,048 x 1,536
	max. refresh rate : 85 Hz
	non-interlaced resolution with max. refresh rate : 1,600 x 1,200
Interfaces	1 x DC-in
	1 x external monitor
	1 x RJ-45
	1 x external microphone
	1 x headphone (stereo)
	1 x integrated VGA Web Camera with built-in microphone
	1 x 4-in-1 Bridge Media slot (supports SD™ Cards up to 16 GB, Memory Stick® up to 256 MB, Memory Stick Pro™ up to 2 GB and MultiMedia Card™ up to 2 GB)



	1 (Left) x eSATA/USB 2.0
	2 (Right 2) x USB 2.0
	1 x HDMI supporting 1080p signal format
Expansion	2 x memory slots (1 to configure)
Wireless communication	Compliance : Wi-Fi™
	Network Support : 802.11b/g
	Wireless Technology : Wireless LAN
Wired communication	topology : Fast Ethernet LAN
	speed : 10BASE-T/100BASE-TX
Sound system	supported audio format : 24-bit stereo
	speakers : built-in stereo speakers
	manufacturer : Realtek
Keyboard	Keys : 105
	Windows® keys : Yes
	special features : Standard numeric keypad
Pointing device	type : Touch Pad
Battery	technology : lithium-ion
	maximum life : up to 3h20min (Mobile Mark™ 2007)
AC adapter	input voltage : autosensing AC adapter (100/240 V) for worldwide usage output voltage : 19 V output current : 3.42 A
Physical dimensions	W x L x H : 383 x 259 x 35.5 (front) / 39.3 (rear) mm
	weight : starting at 2.72 kg
Warranty	1 -Year International warranty.
Bundled hardware	AC adapter
Toshiba EasyMedia	Easy Entertainment : HDMI-out
	Easy Connectivity : Built-in Web Camera & Microphone Diversity Antenna Integrated Bridge Media Adapter
Security features	HDD password on request
	supervisor password
	user password
	slot for Kensington Cable Lock
Special features	Enhanced Intel® SpeedStep® Technology
	integrated microphone for Voice over IP
	HD Audio supporting
	SM BIOS compliant



الشبكة الوطنية التجارية
National Network Trading

integrated VGA Web Camera for Video over IP