



TOSHIBA NB250-108

Processor	Type: Intel® Atom™ processor N455
	clock speed : 1.66 GHz
	Front Side Bus : 667 MHz
	2nd level cache : 512 KB
Operating system	Genuine Windows® 7 Starter 32-bit (pre-installed, Toshiba-HDD recovery)
Design Color	Glossy black finish on display lid and matt black palmrest, with textured pattern, black keyboard
System memory	standard : 1,024 MB
	maximum expandability : 2,048 MB
	technology : DDR3 RAM (1,066 MHz)
Hard disk	capacity : 250 GB
	drive rotation : 5,400 rpm
Display	size : 10.1" (25.7cm)
	type : Toshiba TruBrite® WSVGA TFT High Brightness display with 16 : 9 aspect ratio and LED backlighting
	internal resolution : 1,024 x 600
Graphics adapter	manufacturer : Intel®
	type : Intel® Graphics Media Accelerator 3150
	memory amount : up to 250 MB shared memory with 1 GB system memory installed, and up to 256 MB with 2 GB system memory, (with pre-installed 32-bit operating system)
	memory type : shared
Internal video modes	The following internal video modes are supported: resolution : 1,024 x 600
Max. external video modes	max. resolution : 1,400 x 1,050
	max. refresh rate : 85 Hz
	non-interlaced resolution with max. refresh rate : 1,400 x 1,050
Interfaces	1 x DC-in
	1 x external monitor
	1 x RJ-45
	1 x external microphone
	1 x built-in microphone
	1 x headphone (stereo)
	1 x integrated VGA Web Camera
	1 x Multi-Card Reader (supports SD™ Card up to 2 GB, miniSD™/microSD™ Card with adapter up to 2 GB, SDHC™ Card up to 32 GB and MultiMedia Card™ up to 2 GB)
	3 (Left 1, Right 2) x USB 2.0
Expansion	1 x memory slot



Wireless communication	Compliance : Wi-Fi®
	Network Support : 802.11b/g
	Wireless Technology : Wireless LAN
Wired communication	topology : Fast Ethernet LAN
	speed : 10BASE-T/100BASE-TX
Sound system	supported audio format : 24-bit stereo
	speakers : built-in speaker
Keyboard	Keys : 86
	Windows keys : Yes
	special features : Full-size black flat keyboard
Pointing device	type : Touch Pad
Battery	technology : lithium-ion
	maximum life : up to 8 hours 45 min. (Mobile Mark™ 2007)
AC adapter	input voltage : autosensing AC adapter (100/240 V) for worldwide usage
	output voltage : 19 V
	output current : 1.58 A
Physical dimensions	W x L x H : 263.0 x 211.5 x 25.4 (front) / 30.75 (rear) mm
	weight : starting at 1.18 kg
Warranty	1 -Year International warranty.
Bundled hardware	AC adapter
Bundled software	Toshiba Disc Creator
	Toshiba User's Manual
	Supervisor Password Utility
	Chicony Camera Assistant Software
	Microsoft® Works, Microsoft® Office Home and Student 2007 (free 60-day trial)
	Toshiba Value Added Package (Toshiba Power Saver, Toshiba Zooming Utility, Toshiba PC Diagnostic Tool, Toshiba Flash Cards, Toshiba Components Common Driver, Toshiba Accessibility, Toshiba Button Support)
	McAfee® Internet Security (includes free Internet updates for 30 days)
	WildTangent Games Console
	Toshiba Photo Service
	Toshiba Recovery Media Creator
	Toshiba Sync Utility
	Nero 9 Essentials
	Nero BackItUp & Burn Autobackup Essentials
	Skype



	Bing Toolbar and Bing Search
	Windows Live Essentials
	eBay
	Amazon
	Connectivity Doctor
	ConfigFree™
	Toshiba utilities and drivers
Toshiba EasyMedia	➤ Easy Connectivity Built-in Web Camera & Microphone Toshiba ConfigFree™ Multi-Card Reader
	➤ Easy Usability McAfee® Internet Security (includes free Internet updates for 30 days) Nero Software Display with LED backlighting Toshiba LifeSpace Toshiba TEMPRO Performance Tuning Service Smart Display Support
Security features	slot for Kensington Cable Lock
	user password
	supervisor password
	HDD password on request
Special features	SM BIOS compliant
	ENERGY STAR 5.0 qualified computer
	Enhanced Intel® SpeedStep® Technology
	HD Audio supporting